UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/581,312	10/581,312 04/24/2007 Javier Salazar Corcuera		21029-00312-US1	8442
	7590 12/21/201 OVE LODGE & HUT	EXAMINER		
1875 EYE STR	EET, N.W.	BERRY JR, WILLIE WENDELL		
SUITE 1100 WASHINGTO	N, DC 20006	ART UNIT	PAPER NUMBER	
			3652	
		MAIL DATE	DELIVERY MODE	
		12/21/2011	PAPER	

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

		Application	Application No. Applicant(s)						
Office Action Summary			10/581,312	2	CORCUERA, JAVIER SALAZAR				
			Examiner		Art Unit				
		WILLIE BEI		3652					
Perio	The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply								
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication. - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).									
Statu	ıs								
1	\ ⊠ F	Responsive to communication(s) filed on <u>24 Oc</u>	ctober 2011						
	·	This action is FINAL . 2b) \square This							
	'=	An election was made by the applicant in respo			et forth during the	e interview on			
O,	<i>,</i>			•	_	3 111101 11011 011			
4	- ⊃.	; the restriction requirement and election have been incorporated into this action. Since this application is in condition for allowance except for formal matters, prosecution as to the merits is							
٠.	•	closed in accordance with the practice under E.	•	·					
Dien		·	x pario du	y.o, 1000 G.D. 11, 10	0 0.0.210.				
-		on of Claims							
6 7 8	 Claim(s) 7-13 is/are pending in the application. 5a) Of the above claim(s) is/are withdrawn from consideration. Claim(s) is/are allowed. Claim(s) 7-9 and 11-13 is/are rejected. Claim(s) 10 is/are objected to. Claim(s) are subject to restriction and/or election requirement. 								
Appli	icatio	on Papers							
 10) The specification is objected to by the Examiner. 11) The drawing(s) filed on is/are: a) accepted or b) objected to by the Examiner. Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a). Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d). 12) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152. 									
Prior	ity ur	nder 35 U.S.C. § 119							
13) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received.									
Attachment(s)									
1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date 4) Interview Summary (PTO-413) Paper No(s)/Mail Date 5) Notice of Informal Patent Application Other:									

DETAILED ACTION

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Claims 7-9 and 11-13 are rejected under 35 U.S.C. 103(a) as being unpatentable over patent no. 7,419,349 to Goodrich in view of patent no. 4,966,516 to Vartanian.

Regarding claims 7, 11 and 12, Goodrich discloses two rectangular frames (not numbered, but shown in fig. 13) attached by a hinge (not numbered, but shown in fig. 14), a second hinge (not numbered, but shown in fig. 4; note: hinge used to swing wheelchair assembly outside doorframe), a first fixed floor section (34), a moving floor section (36), a cable brake (198), a suspension cable (188) and a hydraulic means for controlling deployment (186 and col. 12, lines 30-35).

Goodrich discloses the claimed invention except for a second fixed and moving floor sections and locking mechanism.

Vartanian discloses that it is known to have a locking mechanism (col. 8, lines 54-63) in a vehicle access ramp.

It would have been obvious to one having ordinary skill in the art at the time the invention was made to have modified Goodrich with the teachings of Vartanian for the purpose of providing additional functionality to the ramp.

It would have been obvious to one having ordinary skill in the art at the time the invention was made to include second fixed and moving floor sections, since it has been held that mere duplication of the essential working parts of a device involves only routine skill in the art. *St. Regis Paper Co. v. Bemis Co.*, 193 USPQ 8.

Regarding claim 8, Goodrich discloses guides (52 and 52') and runners (col. 7, lines 1-5).

Goodrich does not disclose a second set of guide and runners.

It would have been obvious to one having ordinary skill in the art at the time the invention was made to include a second set of guides and runners, since it has been held that mere duplication of the essential working parts of a device involves only routine skill in the art. *St. Regis Paper Co. v. Bemis Co.*, 193 USPQ 8.

Regarding claim 9, Goodrich discloses a groove (not numbered, but shown in fig. 9) in the guide.

Regarding claim 13, Vartanian discloses a locking mechanism.

Vartanian does not disclose a locking mechanism having a push-rod and cable.

However, the prior art element performs the function specified in the claim in substantially the same manner as the function is performed by the corresponding element described in the specification, and such structure are considered art recognized equivalent structures and would have functioned at least equally as well. It would have been obvious to modify the device in this way for the purpose of providing an alternative arrangement that would have functioned at least equally as well.

Application/Control Number: 10/581,312 Page 4

Art Unit: 3652

Allowable Subject Matter

Claim 10 is objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

Response to Arguments

Applicant's arguments filed 10/24/11 have been fully considered but they are not persuasive. First, applicant argues that Goodrich does not disclose two frames connected by a hinge. The examiner disagrees because Goodrich discloses frames (34 and 36) connected by hinge and shown in fig. 14. Next, applicant argues that Goodrich does not disclose a second frame with a fixed floor and moving floor. The examiner disagrees because since Goodrich has a first frame disclosing these limitations, the examiner felt that it would have been obvious to have a second frame having these limitations as a mere duplication of parts. Next, applicant argues Goodrich teaches against the moving floor shifting due to gravity. The examiner believes this argument is moot because he was unable to find in Goodrich applicant's alleged reference where Goodrich teaches against the moving floor shifting due to gravity. Next, applicant argues that Goodrich does not disclose the suspension cable extending from the cable break to the first and second frames. The examiner disagrees because Goodrich does disclose the suspension cable (188) extending from cable break (198) to first and second frames (120 and 122) shown in figures 20-22.

Conclusion

THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to WILLIE BERRY JR whose telephone number is (571)272-6191. The examiner can normally be reached on Mon-Fri, 11:30-8pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Saul Rodriguez can be reached on (571)272-7097. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/581,312 Page 6

Art Unit: 3652

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Saul J. Rodriguez/ Supervisory Patent Examiner, Art Unit 3652

Wbj.